



**SAFETY DATA SHEET
CLEANER GRINDER BURN**

1. Identification

Product identifier

Product name CLEANER GRINDER BURN

Product number EE-01

Recommended use of the chemical and restrictions on use

Application Industrial Use

Details of the supplier of the safety data sheet

Supplier SIFCO Applied Surface Concepts
5708 E. Schaaf Road
Independence, Ohio 44131
U.S.A.
Tel.: +1 216-524-0099
Fax: +1 216-524-6331
E-Mail: info@sifcoasc.com

Emergency telephone number

Emergency telephone CHEMTREC (United States) (800) 424-9300; CHEMTREC (International) +1 703-527-3887

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

Environmental hazards Not Classified

Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.
H319 Causes serious eye irritation.

CLEANER GRINDER BURN

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 If on skin: Wash with plenty of water.
	P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P301+P310 If swallowed: Immediately call a poison center/ doctor.
	P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P501 Dispose of contents/ container in accordance with national regulations.
	P260 Do not breathe vapor/ spray.
P270 Do not eat, drink or smoke when using this product.	
P284 [In case of inadequate ventilation] wear respiratory protection.	

Contains SODIUM CITRATE, SODIUM HYDROXIDE

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

SODIUM CITRATE	1-5%
CAS number: 68-04-2	
Classification	
Not Classified	
SODIUM HYDROXIDE	1-5%
CAS number: 1310-73-2	
Classification	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention.
Ingestion	Get medical attention immediately. Do not induce vomiting.
Skin Contact	Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes and get medical attention.
Eye contact	It is recommended that suitable facilities for quick drenching or flushing of the eyes and body be provided within the work area for immediate emergency use. Remove affected person from source of contamination. Make sure to remove any contact lenses from the eyes before rinsing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation Coughing, chest tightness, feeling of chest pressure.

CLEANER GRINDER BURN

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact May cause serious chemical burns to the skin.

Eye contact Causes severe burns. May cause serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Corrosive gases or vapors.

Advice for firefighters

Protective actions during firefighting Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of spray mist and contact with skin and eyes. Provide adequate general and local exhaust ventilation.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. DO NOT touch spilled material! Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Collect and dispose of spillage as indicated in Section 13. Wash thoroughly after dealing with a spillage.

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Avoid inhalation of vapors and spray/mists. Provide adequate general and local exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing and direct sunlight.

CLEANER GRINDER BURN

Storage class Corrosive storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): OSHA 2 mg/m³

OSHA = Occupational Safety and Health Administration.

Exposure controls

Protective equipment



Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapor or mist.

Eye/face protection

Tight-fitting safety glasses.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. It is recommended that gloves are made of the following material: Nitrile rubber.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Liquid.
Color	Clear liquid.
Odor	No characteristic odor.
pH	pH (concentrated solution): 13.0
Flash point	Not applicable.
Relative density	1.044-1.054
Other information	Not available.

10. Stability and reactivity

Reactivity Acids.

CLEANER GRINDER BURN

Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	The following materials may react strongly with the product: Acids.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Acids.
Hazardous decomposition products	None at ambient temperatures.

11. Toxicological information

Information on toxicological effects

Inhalation	Vapours irritate the respiratory system, and may cause coughing and difficulties in breathing.
Ingestion	Causes severe burns. May cause chemical burns in mouth, esophagus and stomach.
Skin Contact	May cause serious chemical burns to the skin.
Eye contact	Causes serious eye damage. Immediate first aid is imperative.
Acute and chronic health hazards	May cause burns in mucous membranes, throat, esophagus and stomach.
Route of entry	Ingestion Inhalation Skin and/or eye contact

12. Ecological Information

Ecotoxicity	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Toxicity	No data available.
Acute toxicity - fish	LC ₅₀ , 96 hour: 45.4 mg/l, <i>Onchorhynchus mykiss</i> (Rainbow trout) LC ₅₀ , 96 hour: 1516 mg/l, <i>Lepomis macrochirus</i> (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 72 hour: 120 mg/l, <i>Daphnia magna</i>

Ecological information on ingredients.

SODIUM HYDROXIDE

Acute toxicity - fish	LC ₅₀ , 96 hours: 125 mg/l, LC ₅₀ , 24 hour: 145 mg/l, <i>Poecilia reticulata</i> (Guppy)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hour: 76 mg/l, <i>Daphnia magna</i>

Persistence and degradability

Persistence and degradability No data available.

Bioaccumulative potential

Bio-Accumulative Potential The product does not contain any substances expected to be bioaccumulating.

CLEANER GRINDER BURN

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects Not determined.

13. Disposal considerations

Waste treatment methods

General information Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

Disposal methods Dispose of waste and residues in accordance with local authority requirements.

14. Transport information

UN Number

UN No. (TDG) 1824

UN No. (IMDG) 1824

UN No. (ICAO) 1824

UN No. (DOT) 1824

UN proper shipping name

Proper shipping name (TDG) SODIUM HYDROXIDE SOLUTION

Proper shipping name (IMDG) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ICAO) SODIUM HYDROXIDE SOLUTION

Proper shipping name (DOT) SODIUM HYDROXIDE SOLUTION

Transport hazard class(es)

TDG class 8

TDG label(s) 8

IMDG Class 8

ICAO class/division 8

Transport labels



Packing group

TDG Packing Group III

IMDG packing group III

ICAO packing group III

DOT packing group III

Environmental hazards

CLEANER GRINDER BURN

Environmentally Hazardous Substance

No.

Special precautions for user

EmS

F-A, S-B

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Final CERCLA RQ: 1000 lbs
Sodium Hydroxide

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Exempt.

SARA 313 Emission Reporting

Exempt.

CAA Accidental Release Prevention

Exempt.

SARA (311/312) Hazard Categories

Acute
Chronic

OSHA Highly Hazardous Chemicals

Exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Exempt.

California Directors List of Hazardous Substances

Present.
Sodium Hydroxide

Inventories

US - TSCA

All ingredients are present.

16. Other information

CLEANER GRINDER BURN

Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Carc. = Carcinogenicity Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Muta. = Germ cell mutagenicity Resp. Sens. = Respiratory sensitisation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure
Revision date	7/14/2017
Revision	2
Hazard statements in full	H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.
NFPA - instability hazard	Normally stable. (0)
NFPA - health hazard	Extremely hazardous, serious injury. (3)
NFPA - flammability hazard	Will not burn. (0)

The Information in this data sheet is believed to be correct but neither we nor our employees or agents give any warranty or make any representation to the accuracy thereof and accept no liability for any loss, injury or damage which may result in it's use. The sole purpose of this data sheet is to provide guidance on the safe handling and use of the products to which it relates. It does not form part of any product specification nor part of any contract. It is not practical for the guidance and information in this data sheet to cover every conceivable application of a product and as we may not be aware of the use to which the products covered by this data sheet are to be put it remains the responsibility of the user to conduct it's own tests and to satisfy itself as to the suitability of the product.